

CDC National Survey of Maternity Practices in Infant Nutrition and Care (mPINC)_DEC16

REDCap Record ID:

((auto-assigned by REDCap))

CDC National Survey of Maternity Practices in Infant Nutrition and Care (mPINC)

Instructions: Please complete this form in full and, when finished, click the 'Save Record' button and select 'Complete' from the drop-down list at the bottom of the form.

For Uncomplicated Vaginal Births:

1.) Are routine newborn procedures (e.g. newborn assessment including Apgar and cord clamping, identification including foot printing) after uncomplicated vaginal births done while the mother is holding the healthy full-term infant skin-to-skin?

- Rarely (0%-9%) Sometimes (10%-49%) Often (50%-89%) Almost Always (90%+)
- Not Sure

2.) Approximately, how many mothers are encouraged to hold their healthy full-term infants skin-to-skin for at least 30 minutes within an hour of birth for uncomplicated vaginal births?

- Few (0%-9%) Some (10%-49%) Many (50%-89%) Most (90%+) Not Sure

3.) Approximately what percentage of healthy full-term breastfed infants are put to the breast for the first time during the specified period after delivery for uncomplicated vaginal births? (TOTAL SHOULD ADD UP TO 100%)

Within 1 hour after delivery

(% (_ _ _))

More than 1 hour - 2 hours after delivery

(% (_ _ _))

More than 2 hours - 4 hours after delivery

(% (_ _ _))

More than 4 hours after delivery

(% (_ _ _))

4.) Following uncomplicated vaginal births, are healthy full-term breastfed infants routinely taken to the nursery or other separate area for transition (e.g. processing as a pediatrics patient, vital signs, first bath)?

- Yes
- No

On average, how long is the infant in this transition period?

((minutes))

5.) Are cesarean births performed at your facility?
(if 'No', will automatically Skip to Question 10)

- Yes
- No

For Uncomplicated Cesarean Births:

6.) Are routine newborn procedures (e.g. newborn assessment including Apgar, and cord clamping, identification including foot printing) after uncomplicated cesarean births done while the mother is holding the healthy full-term infant skin-to-skin?

- Rarely (0%-9%)
- Sometimes (10%-49%)
- Often (50%-89%)
- Almost Always (90%+)
- Not Sure

7.) Approximately how many mothers are encouraged to hold their healthy full-term infants skin-to-skin for at least 30 minutes within two hours after delivery for uncomplicated cesarean births?

- Few (0%-9%)
- Some (10%-49%)
- Many(50%-89%)
- Most (90%+)
- Not Sure

8.) Approximately what percentage of healthy full-term breastfed infants are put to the breast for the first time during the specified period after delivery for uncomplicated cesarean births? (TOTAL SHOULD ADD UP TO 100%)

Within 2 hours after delivery

_____ (% (_ _ _))

More than 2 hours - 4 hours after delivery

_____ (% (_ _ _))

More than 4 hours after delivery

_____ (% (_ _ _))

9.) Following uncomplicated cesarean births, are healthy full-term breastfed infants routinely taken to the nursery or other separate area for transition (e.g. processing as a pediatrics patient, vital signs, first bath)?

- Yes
- No

On average, how long is the infant in this transition period?

_____ ((minutes))

10.) How often do maternity care staff advise breastfeeding women to limit the length of suckling at each feeding (e.g. nurse for 5, 10, or 15 minutes on each breast)?

- Rarely (0%-9%)
- Sometimes (10%-49%)
- Often (50%-89%)
- Almost Always (90%+)
- Not Sure

11.) Approximately what percentage of healthy full-term breastfed infants are supplemented with something other than breast milk? (If your facility does not formally track this information, please provide your best estimate.)

_____ (% (_ _ _))

For All Healthy Full-term Breastfed Infants:

12.) Approximately how many healthy full-term breastfed infants are given pacifiers by maternity care staff? Please do not include the use of pacifiers for medical procedures (e.g., circumcision) in your response.

- Few (0%-9%) Some (10%-49%) Many (50%-89%) Most (90%+) Not Sure

13.) Are healthy full-term breastfed infants routinely taken from the mother's room at night?

- Yes
 No

On average, how many minutes is baby away from mother at night?

_____ ((minutes))

14.) Among mother-infant couplets that do not room-in at night, approximately how many healthy full-term breastfed infants are brought to their mothers at night for feedings?

- Few (0%-9%)
 Some (10%-49%)
 Many (50%-89%)
 Most (90%+)
 Not Sure
 Not Applicable (all couplets room-in at night)

15.) Approximately how many healthy full-term breastfed infants are taken from the mother's room for:

	Few (0%-9%)	Some (10%-49%)	Many (50%-89%)	Most (90%+)	Not Sure
Pediatric rounds	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Change of shift	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Visiting hours	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hearing test	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heel stick	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Infant photos	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Infant's bath	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mother bathing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mother out of room	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

16.) Approximately what percentage of healthy full-term infants, regardless of feeding method, remain with their mothers for at least the following number of hours per day? (TOTAL SHOULD ADD UP TO 100%)

8 or fewer hours per day _____
(% (_ _ _))

9-15 hours per day _____
(% (_ _ _))

16-23 hours per day _____
(% (_ _ _))

more than 23 hours per day _____
(% (_ _ _))

For All Facility Stays:

17.) Are discharge packs/bags containing infant formula samples given to breastfeeding mothers?

- Yes
- No